

INTEGO. PERFORMANCE YOU CAN RELY ON.



CAMPAIGN CLIP





INTEGO: THE RIGHT ANSWER TO CUSTOMER NEEDS



YOUR ADVANTAGES AT A GLANCE

ERGONOMIC DESIGN

Designed for intuitive handling and optimized, integrated workflows.

QUALITY "MADE IN GERMANY"

Defined quality assurance processes, durable materials, and sturdy, future-proof design.

GREAT VALUE

Excellent performance and innovative functions at a great price, customized options for price/performance ratio.



GENERAL

CONCEPTS


ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

YOUR CHOICE BETWEEN 2 CONCEPTS



CS. THE CONTINENTAL STYLE



WITH WHIP ARMS

- Ideal for the widest range of treatment situations, whether you are working
- Optimum range of instruments: up to 90 cm
- The height of the dentist element can be adjusted and held in place with a pneumatic brake

CS. THE WHIP ARM SYSTEM

OPTIMUM AND EASY POSITIONING



MAXIMUM REACH
 AND PERFECT BALANCE



PRACTICALDEPOSIT AREA



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

TS. THE TRADITIONAL STYLE



WITH HANGING HOSES

- The height of the dentist element can be adjusted and held in place with a pneumatic brake
- Ergonomic design with flexibly position able dentist element and movable tray holder
- Ample instrument area on the dentist element and tray holder

TS. THE TRADITIONAL STYLE

OPTIMUM AND EASY POSITIONING



INNOVATIVE TRAY SYSTEM



LARGEDEPOSIT AREA



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

SAFE HYGIENE. THE TWO WATER UNITS

THE COMPACT WATER UNIT



THE COMFORT WATER UNIT



sirona.

HYGIENE CONCEPT COMPACT

THE COMPACT WATER UNIT

- Fresh water bottle
- Purge and manual disinfection & sanitization function
- Automatic suction hose cleaning







HYGIENE CONCEPT COMFORT

THE COMFORT WATER UNIT

- Integrated AUTOMATIC disinfection system
- Disinfection device with integrated sanitization adapters
- Automatic purge and sanitization function

ERGONOMICS

Automatic suction hose cleaning with water and chemicals



CONCEPTS

GENERAL



WORKFLOW

CONFIGURATION

EASE OF USE



INTEGO APP

The Dental Company

sirona.

pro

HYGIENE CONCEPT SAFE AND EFFICIENT WORKFLOW

- SMOOTH, EASY-TO-CLEAN SURFACES
- REMOVABLE PARTS

O BUILT-IN
SANITIZATION
ADAPTER

O INTEGRATED
DISINFECTION
UNIT
(ONLY FOR COMFORT WATER UNIT)









GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

ASSISTANT ELEMENT: COMFORT OR COMPACT

WORKFLOW


CONFIGURATION

INTEGO APP

THE COMPACT
 ASSISTANT ELEMENT



THE COMFORT
 ASSISTANT ELEMENT



ERGONOMIC DESIGN: FOR PERFECT RESULTS



WORKFLOW

OPTIMAL VISIBILITY

INTUITIVE SITTING POSITION

COMFORTABLE

PATIENT POSITIONING

PERFECT **RESULTS**



QUALITY "MADE IN GERMANY"

HIGH STANDARDS

Sirona is a technology leader with more than 130 years of innovation history and sets high quality standards. Some 290 engineers and scientists in Research & Development not only pay close attention to quality; they also drive the innovation process.



SIRONA, BENSHEIM, **GERMANY**

CONFIGURATION



Center of Innovation

GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

HIGHEST QUALITY



RELIABILITY AND

DURABILITY

Precise, elaborate quality tests and robust materials make INTEGO a reliable treatment center with an above-average service life. **HIGH QUALITY**

INTEGO immediately shows our Attention to detail.
The materials used

- robust, shapeable plastics,
- solid steel and aluminium components on the inside,
- high-quality glass and upholstery – meet the high quality demands of a premium product

GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

INTUITIVE OPERATION - EASE OF USE AT ITS BEST

USER INTERFACE

EasyPad



USER INTERFACE

EasyTouch



INTUITIVE OPERATION - EASE OF USE AT ITS BEST



EASYPAD

INTEGO APP

CONFIGURATION

- Very simple and intuitive operation
- With five-fold seven-segment indicator
- LED status indicator
- With 2 user profiles
- 3 favorite buttons for individualized instrument settings e.g. speed and torque


sirona.

INTUITIVE OPERATION - EASE OF USE AT ITS BEST

EASYTOUCH

- The latest touchscreen technology
- Multi-coloured 4,3" display
- Intuitive operation
- With 4 user profiles
- Fixed function keys
- Display of ApexLocator (only in combination with EasyTouch)
- Future-proof





ApexLocator

An ApexLocator can also be integrated into the EasyTouch to allow permanent control of the working depth during endodontic treatment.

GENERAL


CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW


CONFIGURATION



TREATMENT COMFORT & OPTIMAL VISIBILITY: HEADRESTS



TREATMENT COMFORT: FOOT CONTROLS



TWO OPERATING LIGHT OPTIONS: LEDVIEW/LEDLIGHT



LEDVIEW. BEST ILLUMINATION OF THE TREATMENT AREA

LEDview

- For optimum illumination of the treatment site.
- Outstanding precision thanks to evenly distributed illumination similar to natural daylight.
- Flexible positioning via three flexible joints
- High-quality design
- Anti-glare for the patient through clearly confined luminous spot
- The LEDview is equipped with a no-touch sensor for hygienic hands-free operation



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

LEDLIGHT. ALWAYS OPTIMAL ILLUMINATION

LEDlight

- For optimum illumination of the treatment site.
- Outstanding precision thanks to evenly distributed illumination similar to natural daylight.
- The LEDlight is equipped with a no-touch sensor for hygienic hands-free operation



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

FUTURE-PROOF DESIGN: FLEXIBLE INTO THE FUTURE

INTEGRATED USB PORT

Within the Dentist – or Assistant Element To connect external medical products



SD CARD SLOT/

NETWORK INTERFACE

Easy network setup and software updates Reading out error codes



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION



INSTRUMENTS AND INTERFACES



SIROCAM F OR AF

Detailed intraoral images


INTEGRATED WORKFLOW, ENDO FUNCTIONALITY

BL ISO E MOTOR

- Especially light and compact
- Speed and torque ideal for endo treatment
- o Range of speed 1.200 40.000 rpm.
- Torque, max 3,0 Ncm



ADVANCED ENDODONTIC FUNCTION





GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION



THE WORLD OF UPHOLSTERY COLORS





EASE OF USE. THE SERVICE CONCEPT

SIMPLE SERVICE CONCEPT

INSTALLATION IN 2.5 HOURS

SERVICE-FRIENDLY DESIGN



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION



INDIVIDUAL CONFIGURATION



HUGO working stool



CARL working stool



PAUL working stool



Additional tray holder for CS dentist element



Additional tray holder for TS dentist element



Standard 3-way syringe



Satelec Mini LED curing light



X-ray viewer



Additional holder for camera (for TS dentist element)



Comfort assistant element with user interface



C+ electronic foot control



4-way foot switch



Valve set for external devices



Adaptation for **HELIODENT** unit model



22" AC monitor



INTEGO without cuspidor



LEDlight









GENERAL

CONCEPTS

ERGONOMICS

EASY OF USE

WORKFLOW

CONFIGURATION



INDIVIDUAL OPTION. HIGHEST FLEXIBILITY

INTEGO/INTEGO PRO WITHOUT CUSPIDOR

- Remove cuspidor from water unit
- Comply with highest hygiene guidelines
- Available as an option during the ordering process (in the online configurator)



GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION



INDIVIDUAL OPTION. HIGHEST FLEXIBILITY



ADAPTATION HELIODENT

UNIT MODEL

- Mount the HELIODENT^{Plus} on the unit
- More flexibility to work with Intraoral X-ray
- Enjoy the synergies

INTEGO APP

CONFIGURATION


INDIVIDUAL OPTION. HIGHEST FLEXIBILITY




CONFIGURATION



PACKAGE CONCEPT: EASE OF CONFIGURATION



PACKAGE CONCEPT: EASE OF CONFIGURATION



INTEGO AND INTEGO PRO BASIC UNITS

Patient chair

- Premium upholsterv
- Flat headrest
- Pneumatic instrument foot control

CS/TS Dentist element

- 5 instrument positions
- EasyPad user interface
- Supply for 2 drill drives

Water unit

- Compact design
- Standard wet suction
- Ready for the integration of a fresh water bottle system
- Cuspidor with manual swivel function

Assistant element

- Compact version on a swivel arm directly mounted to the water unit
- 4 handpiece positions
- Saliva ejector and HVE

INTEGO pro basic unit pro Patient chair Premium upholstery Pneumatic foot control Flat headrest 4-way foot switch CS/TS dentist element 5 instrument positions EasyPad user interface Supply for 2 drill drives Instrument light source Supply electronics for up to 2 motors and scaler Water unit Comfort design Ready for the integration of an automatic disinfection device Integrated cleaning adapters Cuspidor with manual swivel function Wet suction with multi-station valve pro Integrated water flush suction hose cleaning Water heater

Assistant element

- Comfort version, on a support arm with wide swivel range
- 4 handpiece positions
- Saliva ejector and HVE
- Light source for SPRAYVIT E

INTEGO pro basic unit (with DVGW)

- incl. Dürr cuspidor valve for wet suction (additional charge)
- incl. disinfection device (DVGW)

GENERAL

CONCEPTS

INTEGO basic unit

EASE OF USE

WORKFLOW

CONFIGURATION



USER PACKAGES FOR INTEGO



START

- Standard 3-way syringe
- Light source for dentist element
- 2 turbine hoses
- LEDlight operating light



ADVANCE

- C⁺ electronic foot control
- SPRAYVIT F in the dentist element
- Light source in the dentist element
- 1 turbine hose
- 1 BL ISO E micro-motor with supply electronics
- LEDlight operating light



INNOVATION

- C⁺ electronic foot control
- Light source in the dentist element
- 1 turbine hose
- 1 BL ISO E micro-motor with supply electronics
- SIROSONIC L scaler
- LEDview operating light

USER PACKAGES FOR INTEGO PRO



START pro

- C⁺ electronic foot control
- SPRAYVIT E in the dentist element
- 1 turbine hose
- 1 BL ISO E micro-motor
- LEDlight operating light



ADVANCE pro

- C⁺ electronic foot control
- SPRAYVIT E in the dentist element
- 1 turbine hose
- 1 BL ISO E micro-motor
- SIROSONIC L scaler
- EasyTouch user interface
- LEDview operating light



INNOVATION pro

- C⁺ electronic foot control
- SPRAYVIT E in the dentist element
- Third drill drive
- 1 turbine hose
- 2 BL ISO E micro-motors
- SIROSONIC L scaler
- EasyTouch user interface
- SPRAYVIT E in the assistant element
- LEDview operating light



OPTION PACKAGES FOR INTEGO AND INTEGO PRO



SIVISION START with monitor

- SIVISION ready
- SIROCAM F
- Monitor mount on the light support column
- 22" AC monitor



SIVISION ADVANCE

with monitor

INTEGO APP

- SIVISION ready
- SIROCAM AF
- Monitor mount on the light support column
- 22" AC monitor

sirona

OPTION PACKAGES FOR INTEGO AND INTEGO PRO







sirona.

GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION

OPTION PACKAGES: T1 LINE INSTRUMENTS WITH LIGHT





sirona.

GENERAL CONCEPTS ERGONOMICS EASE OF USE WORKFLOW CONFIGURATION INTEGO APP

OPTION PACKAGES: T2 INSTRUMENTS WITH LIGHT







GREAT VALUE YOU CAN RELY ON



INTEGO

- Treatment center with a compact water unit for optimal use of space
- EasyPad user interface for easy, intuitive operation
- Compact assistant element with good freedom of movement
- Controlled water quality with a self-contained fresh water supply bottle
- Available as the TS model with hanging hoses or CS with whip arms



INTEGO pro

- Integrated, comprehensive hygiene concept for optimal results
- EasyTouch touchscreen and integrated foot control concept for easy, intuitive operation
- Flexible assistant element suitable for two- or four-handed treatment
- O Numerous equipment options with a great value
- Available as the TS model with hanging hoses or CS with whip arms



INTEGO APP EXPERIENCE IN YOUR OWN DENTAL PRACTICE







QR CODE - INTEGO-APP

GENERAL

CONCEPTS

ERGONOMICS

EASE OF USE

WORKFLOW

CONFIGURATION







Treatment centers



Hygiene systems



CAD/CAM systems



Imaging systems

