

Fast. Easy to use. Secure traceability.



Lisa Sterilizer

PERFORMANCE*

Accelerated type B cycle thanks to Eco Dry technology

EASY TO USE

thanks to a new user interface and user-friendly menu structure



ERGONOMICS

thanks to our new external and internal design

FULL TRACEABILITY

thanks to Wi-Fi connection and Mobile App for Real Time Remote Monitoring

 $^{^{\}ast}\,\text{B}$ type sterilization of average load (2 kg) in 30 minutes

Easy to use

The new Lisa colour touch screen with its user-friendly menu structure and intuitive icons has been selected and designed to make your daily work easier, faster and more efficient.



Easy to use

The Lisa touch screen with intuitive menus offers a wide range of options to meet all your needs.



Simple cycle selection

As soon as the Lisa is switched on, the home screen immediately displays the cycle selection.



Intuitive navigation

Four logical groups of activities are displayed for swift and efficient navigation.



Risk-free cycle selection

The custom cycle selection feature allows you to select which cycles are displayed on the home screen.



User guidance

Instruction is available with the help button in order to assist you during navigation.



Guided maintenance

A set of 3D animations shows you the main maintenance operations step by step. Makes operation easy and straightforward.



Attracts with accelerated B cycle sterilization: New Lisa



New Lisa: Nothing compares to her

The advanced patented Eco Dry technology adapts the drying time to the mass of the load. This reduces the cycle time, increases the life span of your instruments and optimizes the energy consumption.



Performance



The advanced patented Eco Dry technology adapts the drying time to the mass of the load. This reduces the cycle time, increases the life span of your instruments and optimizes the energy consumption.

Time saving

Type B cycles process and perfectly dry **2 KG OF LOAD IN ONLY 30 MINUTES.**

Extends service life

Automatic adjustment of the drying time depending on the load reduces the heat exposure time. This extends the service life of your instruments.

Energy saving

The optimization of the drying time means reduced energy consumption. Making Lisa the »green solution«.



Sterilization in record time

Lisa offers the option of fast sterilization of unwrapped instruments in only 13 MINUTES.



Wipe disinfection – Cleaning and maintenance (6 min) – Sterilization (13 min)

- > Disinfect your instruments before cleaning and servicing by wiping them.
- > The Assistina 3x3 cleans and services three instruments inside and outside in just 6 minutes.
- > With the Lisa fast cycle, the instruments can be removed from the sterilizer ready for use after only 13 MINUTES.

Full traceability

The new Lisa offers a comprehensive traceability system customized to your needs. A wide range of features and options guarantees an automatic documented sterilization protocol without the need of paper handling, a dedicated computer or software.



High capacity data logger

The 8 gigabyte USB drive automatically records the cycle reports for the entire life of Lisa.



Customized to your needs

Lisa traceability menu offers a wide range of options to customize your own traceability system to your exact needs.



User identification

Allows you to digitally record the user who loaded and unloaded the sterilizer. Users are identified by a 6-digit PIN.



Load release confirmation

This option digitally records the end user name and their confirmation of the successful sterilization and/or test cycle.



Easy and practical

Lisa enables you to select the number of labels to be printed by LisaSafe either automatically or manually.



Convenient and economical

The Ethernet connection allows four Lisa sterilizers to share one LisaSafe label printer.

Full traceability

W&H offers with the Lisa Mobile App full optimization of traceability in your practice. This means greater security of the link between the sterilization cycle and the patient file.



Connected, easy, time saving

When units start talking, traceability becomes a new meaning. Ergonomics is no longer a meaningless word and virtuality becomes reality. Work in the practice is easier and your team saves time.



Real Time Remote Monitoring

With Lisa Mobile App you are able to monitor up to 4 sterilizers with your smartphone or tablet in real time from any place within your practice.



Additional backup

The cycle database is also saved in your smartphone or tablet. This guarantees you an extra backup and enables you to check any cycle report at any time.



Barcode scanner onboard

Lisa Mobile App is able to retrieve cycle reports from a barcode label printed by LisaSafe. The barcode can be read with the smartphone camera.



User managment

You are able to create and delete users and link pictures to them. The user list will be automatically updated on the sterilizer.

Ergonomics

The revised design is setting optimized hygiene and ergonomic standards in modern dentistry.



Easy filling

A high capacity integrated funnel prevents water splashes during the water filling process.



Simple cleaning

Thanks to a smooth surface design with minimized gaps.



High convenience

An automatic water filling valve allows you to connect a demineralization system. Manual filling and draining are no longer required.



Fits everywhere

With the modular front feet, Lisa can be installed on the narrowest benches.



Practical design

Lisa can be built into a cabinet thanks to the optimized internal air circulation.



Effortless tank access

The tank cover can be easily removed without tools to clean the tank.

Making the difference





Long service intervals and internal components protected by

- > Water separation system
- > Dust filter
- > Water quality sensor



In case of power failure, instruments can be easily retrieved from the chamber with the

> Battery-operated door opening tool



Save energy with

> Automatic standby mode



Fast troubleshooting and reduced repair costs thanks to

> New automatic diagnostic cycles

W&H solution for all hygiene and maintenance requirements





Straight and contra-angle handpieces
Turbines



Assistina 3x3 / 3x2

Internal cleaning
External cleaning
Lubrication

Assistina 301 plus

Internal cleaning Lubrication

Seal²

Packaging

Perfect seal in just two seconds.



Multidem / Osmo

Water treatment

Filling and draining multiple sterilizers automatically and simultaneusly.

Lisa accessories

W&H offers a wide range of accessories for optimization of the sterilization process. Minor extras lead to major results. Work in the practice is easier and your team saves time.

Technical data



Pictures are for illustrative purposes only. Additional equipment and accessories shown are not included as standard.

Lisa sterilization cycles

| Sterilization cycle | | B-Universal 134 | | B-Prion 134 | | B-Universal 121 | Fast cycle | |
|--|---------|---|-----------------|----------------------------|-----------------|-----------------|------------|--|
| Temperature | | 134 °C | | 134 °C | | 121 °C | 134 °C | |
| Holding time (minutes) | | 4 | | 18,5 | | 15,5 | 3,5 | |
| Total cycle duration (minutes) including complete drying | | | Typical load | € eco dry+ | Typical load | € eco dry+ | Full load | |
| | Lisa 17 | Automatic from 21 to 44 | 30 | Automatic from 36 to 60 | 46 | 36 to 60 | 13 | |
| | Lisa 22 | Automatic from 21 to 49 | 31 | Automatic from 36 to 64 | 47 | 36 to 63 | 15 | |
| Lisa 17 loads Lisa 22 loads | | maximum solid 4.5 kg / typical 2 kg / maximum porous 1.5 kg maximum solid 0.5 kg maximum solid 0.6 kg / typical 2 kg / maximum porous 2 kg maximum solid 0.6 kg | | | | | | |
| Test cycles | | Helix / Bowie Dick / Vacuum test | | | | | | |

Items supplied with reversible rack, 5 aluminium trays, drain tube, tray holder, 8 GB USB drive, door opening tool, factory test

| 0051 0497 | Lisa 17 | Lisa 22 | | | |
|--|--|---------------------------------|--|--|--|
| Туре: | VA131-17 | VA131-22 | | | |
| Chamber size: | 17 | 221 | | | |
| Power supply: | 200 - 240 Vac; 50 / 60 Hz; 10 A | 200 – 240 Vac; 50 / 60 Hz; 10 A | | | |
| Power consumption: | 2.0 – 2.4 kW | | | | |
| Overall dimension (width x height x depth): | 465 x 449 x 599 mm | | | | |
| Weight (empty): | 50.2 kg | 51.7 kg | | | |
| Main/Used water tanks: | 4/3.51 | | | | |
| Working range: | 7 to 12 cycles | | | | |
| Usable space in chamber (width x height x depth): | 195 x 195 x 297 mm | 195 x 195 x 390 mm | | | |
| Connection types: | 1 Ethernet port, 3 USB ports, 1 serial port, integrated automatic water filling connection | | | | |

Lisa sterilizers were designed, certified and validated with the most stringent Directives and Standards:

| 93/42/EEC Medical Device Directive | | EN 13060 Small steam sterilizer | | EN 61010-1 | Safety requirements |
|------------------------------------|--------------------------|---------------------------------|-------------------------------|----------------|--|
| 97/23/EEC Press | sure equipment Directive | EN 61326-1 | Electromagnetic compatibility | EN 61010-2-040 | Specific requirements for steam sterilizer |

> The sterilizer can be validated according to EN 17665-1

W&H Sterilization Srl.

Via Bolgara, 2

24060 Brusaporto (BG), Italy

t + 39 035-66 63 000

f + 39 035-50 96 988

office.sterilization@wh.com

wh.com